

Hand-Held **Scarifiers**



Needleguns



Walk-Behind **Scarifiers**



Impact Tools



Sanders



Specialty Tools



Industrial **Vacuums**





6 Gallon Vacuums

Electric Standard & Back Pack Consumables

| Item | Filtration Component | Assembly Sequence | | | | |
|------------------------|-------------------------|---|--|--|--|--|
| ULPA Filter | 340.110029 | 1. | | | | |
| Pre-Filter Sleeve | 340.110030PKG (6 pk) | 2. | | | | |
| Cloth Bag | 340.805041 (gray) | 3. | | | | |
| Paper Filter Protector | 340.761177PKG (10 pk) | 4. | | | | |
| Collection Bag | 340.384003PKG (10 pk) | Flace Bag on Tube (Over o-ring, bottom first) Properly Installed Bag | | | | |

DESCO Mfg. Co., Inc. 23031 Arroyo Vista • Rancho Santa Margarita, CA 92688 949.858.7400 • 949.858.9141 fax • 800.337.2648 toll free www.descomfg.com • info@descomfg.com





Critical Filtration Vacuums

Consumable Life & Provisioning Guidelines

Provisioning of Vacuum Consumables

Below are guidelines designed to give an idea of how many consumable items should be on hand to keep a vacuum system running efficiently. Actual consumable requirements vary widely due to the number of variables involved, including: tank size, debris volume, and particle size. As a result, there is no accurate way to predict consumable consumption. Therefore, the guidelines below should be used for initial provisioning. Once you have usage data, you can adjust to suit your actual needs.

Recommended Initial Provisioning

| Stage | ltem - | Vacuum Systems Provisioned | | | | | | | | |
|-------|------------------------|----------------------------|-----|-----------|-----|-----------|-------|-----|-----|-------|
| | | 1 Vacuum | | 2 Vacuums | | 3 Vacuums | | | | |
| | | Qty | Pkg | Order | Qty | Pkg | Order | Qty | Pkg | Order |
| | | Rec | Qty | Pkgs | Rec | Qty | Pkgs | Rec | Qty | Pkgs |
| 1 | Collection Bag | 20 | 10 | 2 | 30 | 10 | 3 | 40 | 10 | 4 |
| 2 | Paper Filter Protector | 10 | 10 | 1 | 20 | 10 | 2 | 30 | 10 | 3 |
| 3 | Cloth Bag | 2 | 1 | 2 | 3 | 1 | 3 | 4 | 1 | 4 |
| 4 | Pre-Filter Sleeve | 2 | 6 | 1 | 3 | 6 | 1 | 4 | 6 | 1 |
| 5 | ULPA Filter | 1 | 1 | 1 | 2 | 1 | 2 | 3 | 1 | 3 |

Critical Filtration and Vacuum Efficiency


- Efficiency is a balance of: 1) maintaining effective particle removal as measured by the ULPA specification while, 2) maintaining rated vacuum air flow as measured in cubic feet per minute (CFM).
- Maintaining air flow volume is critical to maintain the level of cleanliness required by the process.
- Air flow declines as particulate embeds in the filter fabric. As a result, efficiency decreases as filters use increases.
- Efficiency is maintained by checking and servicing filters often before vacuum air flow declines significantly.
- Multi-stage filtration is sacrificial. Meaning each filtration stage sacrifices itself to save the next stage. Changing early filtration stages often (such as collection bag & filter protector) will greatly extend the life of the later filtration stages. Key to understand is that besides being an efficiency measure, this is also an economy measure as the early stages of filtration are far less expensive than the ULPA filter.

Filtration Stages and Maintenance Steps





- Particle containment efficiency: 90% at 5 microns, Typical Life: Up to 12.5 hours
- Check space available every 4 hours of operation. More often for heavy volume pickup.
- Change when ¾ full. Change more frequently when collecting fine dust particles, such as concrete dust.
- Always change. Never empty and reuse.
- Always check stages 2-5 when changing collection bag.
- Paper Filter Protector A disposable filter designed to catch particles that pass through the collection bag 2) (Stage 1) and to protect the cloth bag (Stage 3).
 - Particle containment efficiency: 97% at 5 microns, Typical Life: Up to 25 hours
 - Change when compromised: punctured, visibly contaminated or air flow is restricted.
 - If not visibly compromised, change with every second collection bag.
 - Always change. Never clean and reuse.
 - When replaced, stage 1 should also be replaced.
- Cloth Bag A reusable filter designed to catch particles that pass through the Paper Filter Protector (Stage 2) 3) and to protect the Pre-Filter Sleeve (Stage 4).



- Always change when vacuum has been used with HAZMAT. Never clean and reuse.
- Reusable only when you are certain the vacuum has not been used for HAZMAT. Clean by vacuuming exterior of the bag with a second vacuum.
- Change when compromised: punctured, visibly contaminated or air flow is restricted.
- When replaced, stages 1 and 2 should also be replaced.
- Pre-Filter Sleeve A reusable filter designed to catch particles that pass through the Cloth Bag (Stage 3) and to protect the ULPA filter (Stage 5).
 - Particle containment efficiency: 99% at 1-3 microns, Typical Life: Up to 250 hours
 - Always change when vacuum has been used with HAZMAT. Never clean and reuse.
 - Reusable only when you are certain the vacuum has not been used for HAZMAT. Clean by vacuuming exterior of the sleeve with a second vacuum.
 - Change when compromised: punctured, visibly contaminated or air flow is restricted.
 - When replaced, stages 1, 2 and 3 should also be replaced.
- ULPA Filter A disposable filter designed to catch particles that pass through the Pre-filter Sleeve (Stage 4).
 - Particle containment efficiency: 99.999% at 0.12 microns, Typical Life: Up to 1,000 hours
 - Change when compromised: punctured, visibly contaminated or air flow is restricted.
 - Always change. Never clean and reuse.
 - When replaced, stages 1, 2, 3 and 4 should also be replaced.

DESCO Mfg. Co., Inc.

23031 Arroyo Vista • Rancho Santa Margarita, CA 92688 949.858.7400 • 949.858.9141 fax • 800.337.2648 toll free www.descomfg.com • info@descomfg.com

